Author Index

Ahearn, D.G., see Buffington, J.R., 29
Alaeddinoğlu, N.G., see Sharif, F.A., 227
Alam, S., see Stevens, D., 15
Alford, J.S., Jr., see Boeck, L.D., 305
Anagnost, J.A., see Greenberg, R., 333
Anderson, P.J., McNeil, K.E. and Watson, K.
Thermotolerant single cell protein production by *Kluyveromyces marxianus* var. *marxianus*, 9
Archer, D.L., see Smith, J.L., 105
Armstrong, C.W., see Llewellyn, G.C., 351
Arnold, W.D., Jr., see Strandberg, G.W., 329
Azghani, A.O. and Fuerst, R.
Mechanisms of tetracycline and rifampicin resistance in *Bacteroides fragilis* mutants obtained by ionizing radiation, 299

Bajpai, R., see Stevens, D., 15
Barbosa, M.F.S., De Medeiros, M.B., De Mancilha, I.M., Schneider, H. and Lee, H.
Screening of yeasts for production of xylitol from D-xylose and some factors which affect xylitol yield in *Candida guilliermondii*, 241
Bean, G.A., see Llewellyn, G.C., 351
Beeman, R.E., see Suflita, J.M., 179
Beremand, M.N. and Desjardins, A.E.
Trichothecene biosynthesis in *Gibberella pulicaris*: inheritance of C-8 hydroxylation, 167
Blaschek, H.P., see Bryant, D.L., 49
Boeck, L.D., Wetzel, R.W., Burt, S.C., Huber, F.M., Fowler, G.L. and Alford, J.S., Jr.
Sterilization of bioreactor media on the basis of computer-calculated thermal input designated as F_0, 305
Bordons, A., see Solanellas, F., 205
Bothast, R.J., see Leathers, T.D., 231
Bryant, D.L. and Blaschek, H.P.
Buffering as a means for increasing growth and butanol production by *Clostridium acetobutylicum*, 49
Buffington, J.R., Simmons, R.B., Wilson, L.A. and Ahearn, D.G.
Effect of polymer differences on fungal penetration of hydrogel lenses, 29
Burkhouse, P.L., see Lee, S.-L., 293
Burt, S.C., see Boeck, L.D., 305
Byler, D.M. and Susi, H.
Application of computerized infrared and Raman spectroscopy to conformation studies of casein and other food proteins, 73

Carson, D.B. and Cooney, J.J.
Spheroplast formation and partial purification of microbodies from hydrocarbon-grown cells of *Cladosporium resinae*, 111
Cavazzoni, V., Manzoni, M. and Craveri, R.
Ammonium lactate from deproteinized alfalfa juice by *Streptococcus faecium*, 373
Caws, M.A., see Stutzenberger, F.J., 273
Cerniglia, C.E., see McMillan, D.C., 211
Cooney, J.J.
Microbial transformations of tin and tin compounds (Review), 195
Cooney, J.J., see Carson, D.B., 111
Corbin, J.L., see Lee, S.-L., 293
Costerton, J.W., see Wright, J.B., 139
Craveri, R., see Cavazzoni, V., 373
Creech, G.W., see Lemke, P.A., 119

Darland, G., see Kohler, J., 311
Dashek, W.V., see Llewellyn, G.C., 351
Davis, N.D., see Lemke, P.A., 119
Demain, A.L., see Uyeda, M., 57
De Mancilha, I.M., see Barbosa, M.F.S., 241
De Medeiros, M.B., see Barbosa, M.F.S., 241
Desjardins, A.E., see Beremand, M.N., 167
Diener, U.L., see Lemke, P.A., 119
Dulmage, H.T., see Lacey, L.A., 39

Enders, G.L., Jr., see Kim, H.S., 253

Farrell, H.M., Jr. and Kumosinski, T.F.
Modeling of calcium-induced solubility profiles of casein for biotechnology: influence of primary structure and post-translational modification, 61
Farrell, H.M., Jr., see Kumosinksi, T.F., 147
Farrell, H.M., Jr., see Pessen, H., 89
Flors, A., see Pérez-Martinez, G., 365
Fowler, G.L., see Boeck, L.D., 305
Freeman, J.P., see McMillan, D.C., 211
Frommer, B., see Greenberg, R., 333
Fu, P.P., see McMillan, D.C., 211
Fuerst, R., see Azghani, A.O., 299

Gauthier, J.J., see White, J.M., 263
Gerba, C.P., see Thurman, R.B., 33
Gewain, K.M., see Greenberg, R., 333
Gibson, S.A., see Suflita, J.M., 179
González-Candelas, L., see Pérez-Martinez, G., 365
Good, I.C., see Kim, H.S., 253
Greenberg, R., Gewain, K.M., Shaw, K.J., Frommer, B., Anagnost, J.A., Zurawski, S., Zurawski, G., Narula, S.K. and Leibowitz, P.J.
Requirements for the high-level expression of murine interleukin-3 cDNA in *Escherichia coli*, 333

Gros, J.-B., see Larroche, C., 1

Hagler, W.M., Jr., see Llewellyn, G.C., 351
Hahn, E.M., see Hallas, L.E., 377
Hallas, L.E., Hahn, E.M. and Korndorfer, C.
Characterization of microbial traits associated with glyphosate biodegradation in industrial activated sludge, 377
Haney, C.A., see Llewellyn, G.C., 351
Hsu, S.N., see Lee, S.-L., 293
Huang, D., see White, J.M., 263
Huber, F.M., see Boeck, L.D., 305

Inman, A., see Lacey, L.A., 39
Iyer, S.K., see Lemke, P.A., 119

Jensen, S.E., see Rollins, M.J., 357
Jones, D.D., see White, J.M., 263

Kamara, B.J., see Kim, H.S., 253
Keswick, B.H.
Evaluation of the growth of microorganisms on diaper absorbent materials, 21
Kim, H.S., Kamara, B.J., Good, I.C. and Enders, G.L., Jr.
Method for the preparation of stabile microencapsulated lactic acid bacteria, 253
Kimbrough, T.D., see Llewellyn, G.C., 351
Kohler, J. and Darland, G.
Protoplast fusion in *Streptomyces avermitilis*, 311
Korndorfer, C., see Hallas, L.E., 377
Kumosinski, T.F., Pessen, H. and Farrell, H.M., Jr.
Proteins as potential bacterial growth inhibitors in foods: suppression of the activity of water by proteins as determined by NMR relaxation methods, 147
Kumosinski, T.F., see Farrell, H.M., Jr., 61
Kumosinski, T.F., see Pessen, H., 89
Kurtzman, C.P., see Leathers, T.D., 231

Lacey, C.M., see Lacey, L.A., 39
Lacey, L.A., Ross, D.H., Lacey, C.M., Inman, A. and Dulmage, H.T.
Experimental formulations of *Bacillus sphaericus* for the control of anopheline and culicine larvae, 39
Larroche, C., Tallu, B. and Gros, J.-B.
Aroma production by spores of *Penicillium roqueforti* on a synthetic medium, 1
Leathers, T.D., Nofsinger, G.W., Kurtzman, C.P. and Bothast, R.J.
Pullulan production by color variant strains of *Aureobasidium pullulans*, 231
Lee, H., see Barbosa, M.F.S., 241
Lee, S.-L., Reporter, M., Hsu, S.N., Corbin, J.L., Luli, G., Burkhouse, P.L. and Litchfield, J.H.
The lipid composition and conversion of tryptamine to N_b-acetyltryptamine in a *Catharanthus roseus* cell line without indole alkaloids, 293
Leibowitz, P.J., see Greenberg, R., 333
Lemke, P.A., Davis, N.D., Iyer, S.K., Creech, G.W. and Diener, U.L.
Fluorometric analysis of iodinated aflatoxin in minicultures of *Aspergillus flavus* and *Aspergillus parasiticus*, 119
Liebman, M.N.
Analysis of the biomacromolecular architecture of eukaryotic and prokaryotic serine proteases, 127
Litchfield, J.H., see Lee, S.-L., 293
Llewellyn, G.C., Sherertz, P.C., Armstrong, C.W., Miller, G.B., Jr., Reynolds, J.D., Kimbrough, T.D., Beam, G.A., Hagler, W.M., Jr., Haney, C.A., Trempus, C.S., O'Rear, C.E. and Dashek, W.V.
Mycotoxigenic isolates and toxin production on buckwheat and rice hulls used as bedding materials, 351
Luli, G., see Lee, S.-L., 293

Manzoni, M., see Cavazzoni, V., 373
McCoy, W.F., see Wright, J.B., 139
McMillan, D.C., Fu, P.P., Freeman, J.P., Miller, D.W. and Cerniglia, C.E.
Microbial metabolism and detoxification of 7,12-dimethylbenz[*a*]anthracene, 211
McNeil, K.E., see Anderson, P.J., 9
Miller, D.W., see McMillan, D.C., 211
Miller, G.B., Jr., see Llewellyn, G.C., 351

Narula, S.K., see Greenberg, R., 333
Nofsinger, G.W., see Leathers, T.D., 231

Obi, S.K.C., see Odibo, F.J.C., 343
Odibo, F.J.C. and Obi, S.K.C.
Purification and characterization of a thermostable pullulanase from *Thermoactinomyces thalpophilus*, 343
Ogram, A.V. and Sayler, G.S.
The use of gene probes in the rapid analysis of natural microbial communities, 281
O'Rear, C.E., see Llewellyn, G.C., 351

Pérez-Martinez, G., González-Candelas, L., Polaina, J. and Flors, A.
Expression of an endoglucanase gene from *Clostridium cellulolyticum* in *Escherichia coli*, 365
Pessen, H., Kumosinski, T.F. and Farrell, H.M., Jr.
Investigation of differences in the tertiary structures of food proteins by small-angle X-ray scattering, 89
Pessen, H., see Kumosinksi, T.F., 147
Polaina, J., see Pérez-Martinez, G., 365
Pollock, T.J., see Thorne, L., 321
Prince, D.L. and Prince, R.N.
Quality assurance of monoclonal products: virologic and molecular biologic considerations, 157
Prince, R.N., see Prince, D.L., 157

Reporter, M., see Lee, S.-L., 293

Reynolds, J.D., see Llewellyn, G.C., 351
Rollins, M.J., Jensen, S.E. and Westlake, D.W.S.
Effect of aeration on antibiotic production by *Streptomyces clavuligerus*, 357
Ross, D.H., see Lacey, L.A., 39

Šafařik, I.
An inexpensive insoluble chromogenic substrate for the determination of proteolytic activity (Short Communication), 259
Sayler, G.S., see Ogram, A.V., 281
Schneider, H., see Barbosa, M.F.S., 241
Shamala, T.R. and Sreekantiah, K.R.
Fermentation of starch hydrolysates by *Lactobacillus plantarum*, 175
Sharif, F.A. and Alaeddinoğlu, N.G.
A rapid and simple method for staining of the crystal protein of *Bacillus thuringiensis*, 227
Shaw, K.J., see Greenberg, R., 333
Sherertz, P.C., see Llewellyn, G.C., 351
Simmons, R.B., see Buffington, J.R., 29
Smith, J.L. and Archer, D.L.
Heat-induced injury in *Listeria monocytogenes*, 105
Solanellas, F. and Bordons, A.
Copper retention by a strain of *Bacillus*, 205
Sreekantiah, K.R., see Shamala, T.R., 175
Stevens, D., Alam, S. and Bajpai, R.
Fermentation of cheese whey by a mixed culture of *Clostridium beijerinckii* and *Bacillus cereus*, 15
Strandberg, G.W. and Arnold, W.D., Jr.
Microbial accumulation of neptunium (Short Communication), 329
Stutzenberger, F.J. and Caws, M.A.
Adsorption of *Trichoderma reesei* cellulases on protein-extracted lucerne fibers, 273
Suflita, J.M., Gibson, S.A. and Beeman, R.E.
Anaerobic biotransformations of pollutant chemicals in aquifers, 179
Susi, H., see Byler, D.M., 73

Tallu, B., see Larroche, C., 1
Tansey, L., see Thorne, L., 321
Thorne, L., Tansey, L. and Pollock, T.J.
Direct utilization of lactose in clarified cheese whey for xanthan gum synthesis by *Xanthomonas campestris*, 321
Thurman, R.B. and Gerba, C.P.
Characterization of the effect of aluminum metal on poliovirus, 33
Trempus, C.S., see Llewellyn, G.C., 351

Uyeda, M. and Demain, A.L.
Methionine inhibition of thienamycin formation (Short Communication), 57

Watson, K., see Anderson, P.J., 9
Westlake, D.W.S., see Rollins, M.J., 357
Wetzel, R.W., see Boeck, L.D., 305
White, J.M., Jones, D.D., Huang, D. and Gauthier, J.J.
Conversion of cyanide to formate and ammonia by a pseudomonad obtained from industrial wastewater, 263
Wilson, L.A., see Buffington, J.R., 29
Wright, J.B., Costerton, J.W. and McCoy, W.F.
Filamentous growth of *Pseudomonas aeruginosa*, 139

Zurawski, G., see Greenberg, R., 333
Zurawski, S., see Greenberg, R., 333

Subject Index

Acetyl coenzyme A, 293
Acetylneosolaniol, 167
Actinomycete, 343
Activated sludge, 377
Adaptation to cyanide, 263
Adherent bacteria, 139
Adsorption, 273
Aflatoxin, 351
Aflatoxin miniassay, 119
Agricultural by-product, 373
Aluminum, 33
Ammonium lactate, 373
Amyloglucosidase, 175
Anaerobe, 299
Anopheles, 39
Antibiotic resistance, 299
Aquifer, 179
Aroma, 1
Aspergillus flavus, 119
Aspergillus parasiticus, 119
Aureobasidium pullulans, 231
Avermectin, 311

Bacillus, 205
Bacillus cereus, 15
Bacillus sphaericus, 39
Bacillus thuringiensis, 227
Bacillus thuringiensis var. *israelensis*, 39
Bacterial α-amylase, 175
Bacterial growth retardation, 147
Batch fermentation, 357
Biodegradation, 377
Biodegradation, anaerobic, 179
Biofilm, 139
Biomacromolecular architecture, 127
Bioreactor, 305
Buckwheat, 1
Buffering capacity, 49
Butyltin, 195
Butyric acid, undissociated, 49

Candida albicans, 21
Casein, 61, 259
Catalase, 111
Catharanthus roseus, 293
Cellulase, 273
Cellulose, 273, 365
Cephamycin C, 357
Cheese whey, 15, 321
Chromogenic substrate, insoluble, 259
Chromosomal integration vector, 321
Cladosporium resinae, 111
Cloning, 365
Clostridium acetobutylicum, 49
Clostridium beijerinckii, 15
Coating, 253
Code of Federal Regulations, 157
Colony hybridization, 281
Color variant, 231
Community analysis, 281
Computer, 305
Conformation study, 73
Copper, 205
Cornstarch, 231
Crystal protein, 227
Culex, 39
Culture, 253
Cunninghamella elegans, 211
Curvularia lunata, 29
Cyanide degradation, 263

Debranching enzyme, 343
Deuterium NMR relaxation, 147
Diacetoxyscirpenol, 167
Diaper, 21
7,12-Dimethylbenz[*a*]anthracene, 211
Disinfection, 33
Dissolved oxygen, 357
DNA, 157
DNA:DNA hybridization, 281

Ecology, 179
Egg protein, 89
Elongation, 139
δ-Endotoxin, 227
Enumeration, 377
Escherichia coli, 21
Exopolysaccharide production, 321

F_0, 305
Factor 8, 157
Fermentation, 9, 15, 241, 373
Fluorescence analysis, 119
Food and Drug Administration, 157
Food protein, 89
Formate, 263
Formulation, 39
Fungi, 29, 211
Fusarium sambucinum, 167
Fusarium solani, 29

Gene probe, 281
Genetic engineering, 127
Gibberella pulicaris, 167
Glyphosate, 377
Granulation, 253
Groundwater, 179
Growth in hydrogel lenses, 29

Heat-induced injury, 105
Hemicellulose, 241
Host strain, 333
Human immunodeficiency virus, 157
Hydrocarbon, 111
Hydrogel lens, 29

Inactivation, 33
Indole alkaloid, 293
Industrial wastewater, 263
Infectious bovine rhinotracheitis virus, 157
Irradiation, 299
IR spectroscopy, 73

Kluyveromyces marxianus var. *marxianus*, 9

α-Lactalbumin, 89
Lactic acid bacteria, 253
Lactic acid fermentation, 175
Lactobacillus plantarum, 175
β-Lactoglobulin, 89
Limited proteolysis, 127
Lipid, 293
Listeria monocytogenes, 105
Lucerne fiber, 273
Lysozyme, 89

Metal uptake, 329
Methanogenesis, 179
Methionine interference, 57
Methylation of tin, 195
Methyl ketone, 1
Methyltin, 195
Microbial control, 39
Microbial metabolism, 211
Microbial transformation, 195
Microbody, 111
Microencapsulation, 253
Microorganism, 329
Monoclonal antibody, 157
Mutation, 299
Mycotoxin, 351

Neptunium, 329
Numerical taxonomy, 377

Organotin, 195

Penicillium roqueforti, 1
Pentose, 241
Persistence of larvicidal activity, 39
Plasmid, 365
Plasticity, 139
Poliovirus, 33
Pollutant, 179
Polynucleotide, 157
Polyol, 241
Posttranslational modification, 61
Primary structure, 61
Probiotic, 373
Protein functionality, 61
Protein hydration, 147
Protein stability, 333
Protein structure-function relationship, 73
Protein structure, tertiary, 89
Proteolytic activity, 259
Protoplast fusion, 311
Pseudomonad, 263
Psorophora columbiae, 39
Pullulan, 231
Pullulanolysis, 343

Raman spectroscopy, 73
Recombination, 311
Regulation, 231
Replicon, 333
Resting cell, 205
Retention, 205
Riboflavin-binding protein, 89
Ribonuclease, 89
Rice and buckwheat hulls, 351

Saccharification, 343
Safety test, 157
Serine protease, 127
Sindbis virus, 157
Single cell protein, 9
Small-angle scattering, 89
Solubility profile, 61
Spectroscopy, computerized, 73
Spheroplast, 111
Stabilization, 253
Staphylococcus aureus, 21
Starch hydrolysate, 175
Sterilization, 305
Sterol ester, 293
Streptomyces, 357
Streptomyces avermitilis, 311
Streptomyces cattleya, 57
Sucrose, 9
Sulfate-reduction, 179
Suppression of the activity of water, 147
Syncephalastrum racemosum, 211

Tapioca, 175
Thermal input, 305
Thermoinducible high copy number replicon, 333
Thermophilic actinomycete, 343
Thermotolerance, 9
Thienamycin, 57
Tin, 195
Tn951 lactose gene, 321
Trichoderma, 273
Trichothecene, 167, 351
Tryptamine, 293
Tryptophan, 293

Upholstery, 351

Virus, 33
Voice synthesizer, 305
Volatile loss, 1

Water treatment, 33
Western analysis, 333

Xanthan gum, 321
Xylitol, 241
D-Xylose, 241

Yeast, 9